

# REAL WORLD TESTING RESULTS REPORT TEMPLATE

# **BACKGROUND & INSTRUCTIONS**

Under the ONC Health IT Certification Program (Certification Program), health IT developers are required to conduct Real World Testing of their certified health IT (45 CFR 170.405). The Office of the National Coordinator for Health Information Technology (ONC) issues Real World Testing resources to clarify health IT developers' responsibilities for conducting Real World Testing, to identify topics and specific elements of Real World Testing that ONC considers a priority, and to assist health IT developers in developing their Real World Testing plans and results reports.

<u>A Real World Testing plan template</u> was created to assist health IT developers in organizing the required information that must be submitted for each element in their Real World Testing plan. To accompany the plan template, ONC has also provided this results report template.

While the use of this template is voluntary, health IT developers may find it useful in preparing their Real World Testing results report(s). Health IT developers must submit one year of results to address the Real World Testing of eligible products as outlined in their previous year's Real World Testing plan(s). If adjustments to approaches are made throughout Real World Testing, the health IT developer should reflect these adjustments in their Real World Testing results report. ONC expects that the results report will include a list of these changes, the reasons for them, and how intended outcomes were more efficiently met as a result.

While every effort has been made to ensure the accuracy of restatements of 45 CFR Part 170, this template is not a legal document. The official program requirements are contained in the relevant laws and regulations. This resource should be read and understood in conjunction with the following companion resources, which describe in detail many of the Certification Program requirements referenced in this resource.

- Real World Testing—What It Means for Health IT Developers Fact Sheet
- Real World Testing Resource Guide
- Real World Testing Certification Companion Guide

Health IT developers should also review the following regulatory materials, which establish the core requirements and responsibilities for Real World Testing under the Certification Program.

- 21st Century Cures Act: Interoperability, Information Blocking, and the ONC Health IT Certification Program final rule, <u>85 FR 25642</u> (May 1, 2020) (ONC Cures Act Final Rule)
  - Section VII.B.5 "Real World Testing"



# INTRODUCTION

This document contains a list of the steps taken to conduct the annual Real World Testing requirements for ONC certification. The Results within this document were reviewed as Screenshots and spreadsheets for their compliance with the criteria defined in the test plan. These artifacts will be maintained by the health IT developer for audit purposes or further requests.

# **GENERAL INFORMATION**

Plan Report ID Number: [For ONC-Authorized Certification Body use only]

Developer Name: MedConnect, Inc.

Product Name(s): MedConnectHealth

Version Number(s): 3.0

Certified Health IT Product List (CHPL) Product Number(s): 15.04.04.1889.MedC.03.00.0.171212

Developer Real World Testing Plan Page URL: https://www.medconnecthealth.com/realworldtestplan/



# SUMMARY OF TESTING METHODS AND KEY FINDINGS

Consistent with the ONC's recommendation that "Real World Testing verify that deployed Certified Health IT continues to perform as intended by conducting and measuring observations of interoperability and data exchange", our original test plan focused on capturing and documenting the number of instances that certified capability was successfully utilized in the real world. In instances where no evidence exists due to low or zero adoption of a certified capability or the inability to capture evidence of successful use for other reasons, we tested and demonstrated the required certified capability in a semi-controlled setting as close to a "real world" implementation as possible.

As per the test plan, we leveraged a 3-fold approach to demonstrate successful real-world implementations.

- Adoption Rate
- Summative Testing
- Interactive Testing

Adoption rate was used to determine if/when certified capability is being used in the real world and to help identify differences in care settings. Evidence of high rates of implementation and usage indicate (but don't by themselves prove) a certified capability's usefulness and practical value. Evidence of low rates of implementation and usage might be accounted for by patient volume, location or provider preference among other reasons. Note, it is not the goal of this exercise to identify the individual causes of why a given certified capability may have a high or low adoption rate, but rather to identify the users and care settings for which a given test is relevant.

Summative assessments were used to measure which certified actions were performed at the conclusion of a given time period where the minimum time period was 90 days and longer where possible. These results are typically obtained by generating reports and examining audit logs from within the certified health IT module to help demonstrate the frequency of actions within the given time frame, and where possible, whether those actions were successful or unsuccessful. High success rates should be an indicator of a successful implementation of a given certified capability in a real-world setting.

Interactive testing was used to demonstrate conformance to requirements where the adoption rate of a given certified capability is zero and to demonstrate ongoing compliance with updated standards and code sets (SVAP). Interactive tests were live tested as opposed to examining historical usage statistics. The goal being to demonstrate the certified Health IT module being used in a way consistent within a practice or care setting.

This approach allowed for the successful testing and obtaining results for each criterion. Detailed below in the **Metrics** and **Outcomes** section the reader will find evidential data in the form of a Summative result(s) or Interactive test outcome for each certified criteria for MedConnectHealth 3.0



# STANDARDS UPDATES (INCLUDING STANDARDS VERSION ADVANCEMENT PROCESS (SVAP) AND UNITED STATES CORE DATA FOR INTEROPERABILITY (USCDI))

Indicates whether optional standards, via SVAP and/or USCDI, are leveraged as part of the certification of the health IT product(s).

Yes, I have products certified with voluntary SVAP or USCDI standards. (If yes please complete the table below.	S
please complete the table below.	٠,
X No, none of my products include these voluntary standards.	

# Care Setting(s)

Each care setting that was tested.

Care Setting	Justification
Primary Care	Primary Care Providers make up close to 90% of our customer base. We
	do not market to any particular care setting or specialty.



# **Metrics and Outcomes**

Within this section is a list of the results collected from the MedConnect Real World Testing measures as defined in their Real World Test plan. Outcomes are listed as Pass, Pass with Exception, or Fail determined by the success of obtaining testing results. This determination was based on a thorough review by the MedConnect team. A link is included within the **Outcomes** column in the table below to a subsequent **Outcomes Details** table. This second table matches each outcome with additional detailed information such as supporting resources and descriptions of the tests that were performed.

## Key components include:

- Customer created a comprehensive Test Results Report which details customer environment, patient data utilized for tests, locations of testing
- Customer attempted Summative and/or Interactive Testing
- Customer collected audit logs to support spreadsheets and as necessary, screen shots that demonstrate proof of Interactive Testing for each criteria with "0" values in Summative Testing. These files are referenced and remain on file with MedConnect.

The following metrics were measured by viewing audit logs in the client's live production system for the first 3 quarters of 2022. For each test, a screen shot was taken of the audit report criteria screen showing the auditing information being reported. The resultant report was then saved to show the usage (or lack thereof) of the criterion.

Associated Criterion(a)	Measurement/Metric	Relied Upon Software (if applicab e)		Challenges Encountered (if applicable)
170.315(b)(1) Transitions of care	Over a 90-day period:  1) Number of CCDAs created  2) Number of CCDAs sent via edge protocols  3) Number of CCDAs received via edge protocols	N/A	Pass 1) 6469 2) 1662 3) 218	/N/A
170.315(b)(2) Clinical information reconciliation and incorporation	Over a 90-day period:  1) Number of CCDA's received and matched to a patient  2) Number of times a user reconciled medication list data from a received CCDA  3) Number of times a user reconciled allergies and intolerance list data from a received CCDA  4) Number of times a user reconciled allergies and intolerance list data from a received CCDA  4) Number of times a user reconciled problem list data from		Pass 1) 1350 2) 693 3) 278 4) 810	

	a received CCDA			
170.315(b)(3) Electronic prescribing	Over a 90-day period:  1) Number of prescriptions created 2) Number of prescriptions changed 3) Number of prescriptions canceled 4) Number of prescriptions renewed		Pass 1) 149,080 2) 559 3) 96 4) 7,954	
170.315(b)(6) Data export	Over a 90-day period:  1) Number of times a data export was performed for a patient  2) Number of times a data export was performed for multiple patients in a single transaction  3) Number of times a data export was performed for all patients in a single transaction	N/A	<u>Pass</u>	
170.315(c)(1-3) Clinical quality measures (CQMs)	Over a 90-day period:  1) Number of measures recorded during the period  2) Number of QRDA Category 1 files exported  3) Number of QRDA Category 1 files imported (if applicable)  4) Number of QRDA Category 3 aggregate report(s) created over the period	N/A	Pass 1) 20 (unique) 2) 6513 3) 0 4) 61	



	Over a 90-day period:	N/A	<u>Pass</u>	Park British Masapas Palaking Saraking Sandania 
170.315(e)(1) View, download,	Number of views of		1) 10,138	
and transmit to	health information by a patient or		2) 10,138 3) 0	
3rd party	a patient of authorized		3) 0 4) 78	
' '	representative		', '	
	2) Number of downloads	s		
	of health information			
	by a patient or			
	authorized representative			
	3) Number of			
	transmissions of			
	health information by			
	a patient or authorized			
	representative using			
	unencrypted email			
	4) Number of			
	transmissions of			
	health information by			
	a patient or authorized			
	representative using			
	encrypted method			
170.045(0.44)	Over 3 separate unique 10-	N/A	Pass Pass	
170.315(f)(1) Transmission to	day periods within a 90-day		1 400	
immunization	window:		1) 1,734	
registries	1) Number (or			
109.00100	percentage) of immunization records			
	submitted to the			
	immunization record			
170.315(f)(2)	Over 3 separate unique 10-	N/A	Pass	
Transmission to	day periods within a 90-day window:			
public health	1) Total number of			
agencies —	syndromic			
syndromic	surveillance events			
surveillance	created and submitted			
	Gapinittea			
170.315(f)(4)	Over 3 separate unique 10-	N/A	<u>Pass</u>	
Transmission to	day periods within a 90-day			
Cancer registries	window:			
- 355 Ogloti 100	Total number of cancer CCDA			
	documents			



170.315(g)(7) Application access — patient selection	1)	that provided sufficient information to provide a valid response	N/A	Pass	
170.315(g)(8) Application access — data category request	2)	Number of requests for a patient's data made by an application via a data category request using a valid patient ID or token Number of requests for a patient's data made by an application via a data category request using a valid patient ID or token for a specific date range	N/A	Pass	
170.315(g)(9) Application access — all data request	2)	Number of requests for a patient's Summary Record made by an application via an all data category request using a valid patient ID or token Number of requests for a patient's Summary Record made by an application via an all data category request using a valid patient ID or token for a specific date range	N/A	Pass	



170.315(h)(1) Direct Project	Number of Direct     Messages sent     Number of Delivery     Notifications received     Number of Direct     Messages received     Number of Delivery     Notifications sent	N/A	1) 528 2) 104 3) 528 4) 104	
---------------------------------	---	-----	--------------------------------------	--

#### **Outcome Details**

The following sections contain additional descriptions and test results supporting documentation to provide more context for the testing outcomes defined in the Metrics and Outcomes table, ect...

170.315(b)(1) Transitions of care

# Summary Description

Pass

Method: Summative Testing

The purpose of this test was to show that CDA documents are able to be created and exported.

A query on historical audit logs for 90-day periods was performed for the 170.315(b)(1) criterion. The resulting totals show that this module was active throughout the period and therefore demonstrates a compliant result.

### Justification

This criterion requires the ability of a certified Health IT module to create CCDAs according to specified standards and vocabulary code sets, as well as send and receive CCDAs via edge protocols. However, it is not possible to consistently and reliably demonstrate that all required standards and code sets were used because not all CCDAs created in a real-world setting contain all the necessary data elements. Furthermore, it is not feasible to obtain copies of CCDA documents from "outside" developers or providers who have no incentive to participate in this exercise. Therefore, we intend to demonstrate the required certified capabilities by demonstrating how often CCDAs are created and exchanged with other systems to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be moderate utilization by providers with a high success rate.

# Results Supporting Documents

Please Contact MedConnect for any Results spreadsheets if needed.

170.315(b)(2) Clinical Information Reconciliation and Incorporation

# Summary Description

**Pass** 

Method: Summative Testing

The purpose of this test was to show that CDA documents are able to be imported, matched to a patient, reconciled and new CDA documents created and exported.

A query on historical audit logs for 90-day periods was performed for the 170.315(b)(2) criterion. The resulting totals show that this module was active throughout the period and therefore demonstrates a compliant result.

## Justification

This criterion requires the ability of a certified Health IT module to take a CCDA received via an outside system and match it to the correct patient; reconcile the medication, allergy, and problem lists; and then incorporate the lists into the patient record. The expectation is each of these steps is done electronically within the certified Health IT module. While this certified capability is available to our users, most providers in the real world typically prefer to



perform these steps manually and elect to save any outside received CCDAs as attachments to the patient record. Therefore, we intend to record the frequency that providers are electronically reconciling and incorporating CCDAs that were received from outside providers to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be low utilization by providers with a high success rate

Results Supporting Documents

Please Contact MedConnect for any Results spreadsheets if needed.

170.315(b)(3) Electronic Prescribing

# Summary Description

#### **Pass**

Method: Summative Testing

The purpose of this test was to show that an active connection from EHR customer sites to a Surescript's ePrescribing solution was deployed.

A query on historical audit logs for 90-day periods was performed for the 170.315(b)(3) criterion. The resulting totals show that this module was active throughout the period and therefore demonstrates a compliant result.

## Justification

This criterion requires the ability of a certified Health IT module to perform prescription-related electronic transactions (eRx) using required standards. However, it is not possible to demonstrate the correct standards were used because it is not feasible to obtain copies of eRx documents from "outside" companies or pharmacies who have no incentive to participate. Therefore, we intend to demonstrate the required certified capabilities are effective by demonstrating how often eRx transactions are performed by examining reports from our eRx partner. This will demonstrate that not only are the eRx transactions sent from the certified Health IT module, but that the transactions are successfully received by the eRx clearinghouse. Our expectation is there will be high utilization by providers with a high success rate.

Results Supporting Decuments

Please Contact MedConnect for any Results spreadsheets if needed.

170.315(b)(6) Data Export

## Summary Description

#### Pass

Method: Interactive Testing

The purpose of this test was to show that our customer can export patient data from our EHR without any assistance from MedConnect.

A query on historical audit logs for 90-day periods was performed for the 170.315(b)(6) criterion. The resulting totals show that this module was active throughout the period and therefore demonstrates a compliant result. Due to low or zero adoption of this criteria, health IT developer demonstrated the module function in their system as an interactive test demonstrating a compliant result.

## Justification

This criterion requires the ability of a certified Health IT module to export a summary of a patient's record in CCDA format according to specified standards and vocabulary code sets. However, it is not possible to consistently and reliably demonstrate that all required standards and code sets were used because not all CCDAs created in a real-world setting contain all the necessary data elements. Therefore, we intend to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be very low utilization by providers with a high success rate.

## Results Supporting Documents

Please Contact MedConnect for any Results spreadsheets and screenshots if needed.



170.315(c)(1-3) Clinical Quality Measures (CQMs)

# Summary Description

Pass

Method: Summative Testing

The purpose of this test was to show that the EHR meets the QRDA reporting requirement for the designated care settings.

A query on historical audit logs for 90-day periods was performed for the 170.315(c)(1-3) criterion. Due to low or zero adoption of this criteria, health IT developer demonstrated the module function in their system as an interactive test demonstrating a compliant result.

## Justification

These criteria will be tested together. C1 requires a certified Health IT module to record required data, calculate CQMs from the recorded data, and export the data in QRDA Category 1 format. C2 requires a certified Health IT module must be able to import data from a QRDA Category 1 formatted file and calculate the CQMs based on that data. C3 requires a certified Health IT module must be able to create a QRDA Category 1 formatted file and a QRDA Category 3 aggregate report to be used for transmitting CQM data to CMS. We intend to record the frequency that CQM files are imported and/or exported by providers to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be moderate utilization by providers with a high success rate.

Results Supporting Documents

Please Contact MedConnect for any Results spreadsheets and screenshots if needed.

170.315(e)(1) View, Download, and Transmit to 3rd Party

## Summary Description

Pass

Method: Summative Testing

The purpose of this test was to show that the EHR provides patients access to a patient portal with the ability to view, download, and send their health care records for the designated care settings.

A query on historical audit logs for 90-day periods was performed for the 170.315(e)(1) criterion. The resulting totals show that this module was active throughout the period and therefore demonstrates a compliant result. Exception made for number of transmissions of health information by a patient or authorized representative using unencrypted email due to security requirements that prevent unencrypted email and/or connections. Internal security requirements override need for unencrypted email as well as functionality was proven to be available via encrypted connections.

# Justification

This criterion requires the ability of a certified Health IT module to provide patients access to a patient portal with the ability to view, download, and send their health care records to other providers via encrypted or unencrypted transmission methods in CCDA format. We intend to record the frequency that patients are viewing, downloading, and transmitting their records from the portal using the certified capabilities to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be moderate utilization by patients for view and lower utilization for download and transmit with a high success rate for all certified capabilities.

# Fiesults Supporting Decuments

Please Contact MedConnect for any Results spreadsheets if needed.

170.315(f)(1) Transmission to Immunization Registries

**Summary Description** 



**Pass** 

Method: Summative Testing

The purpose of this test was to show that the EHR is able to transmit immunization data to a registry and meets the reporting requirement for the designated care settings.

A query on historical audit logs for 90-day periods was performed for the 170.315(f)(1) criterion. The resulting totals show that this module was active throughout the period and therefore demonstrates a compliant result.

#### Justification

This criterion requires the ability of a certified Health IT module to transmit immunization data to a registry using a specified format. We intend to record the frequency that immunization data is submitted to registries by providers to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be zero adoption of this certified capability by our users, so we have added interactive testing methodology for these capabilities to the test plan below to demonstrate the feature is available and functions as expected should any users elect to begin using this feature.

Besüle Supporting Dobliments

Please Contact MedConnect for any Results screenshots if needed.

# 170.315(f)(2) Transmission to Public Health Agencies — Syndromic Surveillance

# **Summary Description**

**Pass** 

Method: Interactive Testing

The purpose of this test was to show that the EHR is able to transmit syndrome-based public health surveillance data to a registry and meets the reporting requirement for the designated care settings.

A query on historical audit logs for 90-day periods was performed for the 170.315(f)(2) criterion. Due to low or zero adoption of this criteria, health IT developer demonstrated the module function in their system as an interactive test demonstrating a compliant result.

## Justification

This criterion requires the ability of a certified Health IT module to transmit syndrome-based public health surveillance data to a registry using a specified format. We intend to record the frequency that syndromic surveillance data is submitted to registries by providers to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be zero adoption of this certified capability by our users, so we have added interactive testing methodology for these capabilities to the test plan below to demonstrate the feature is available and functions as expected should any users elect to begin using this feature.

## Results Supporting Documents

Please Contact MedConnect for any Results screenshots if needed.

# 170.315(f)(4) Transmission to Cancer Registries

## Summary Description

**Pass** 

Method: Interactive Testing

The purpose of this test was to show that the EHR is able to generate cancer CCDA documents.

A query on historical audit logs for 90-day periods was performed for the 170.315(f)(4) criterion. Due to low or zero adoption of this criteria, health IT developer demonstrated the module function in their system as an interactive test demonstrating a compliant result.

## Justification



This criterion requires the ability of a certified Health IT module to create cancer case information for electronic transmission to a registry using a specified format. We intend to record the frequency that cancer case data is submitted to registries by providers to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be zero adoption of this certified capability by our users, so we have added interactive testing methodology for these capabilities to the test plan below to demonstrate the feature is available and functions as expected should any users elect to begin using this feature.

result subtail the desiment

Please Contact MedConnect for any Results screenshots if needed.

170.315(g)(7) Application Access — Patient Selection

# **Summary Description**

Pass

Method: Interactive Testing

The purpose of this test was to show that the EHR is able to fulfill an API request that enables external applications to request a unique patient identifier from the certified Health IT module that can be used to request additional patient data.

A query on historical audit logs for 90-day periods was performed for the 170.315(g)(7) criterion. Due to low or zero adoption of this criteria, health IT developer demonstrated the module function in their system as an interactive test demonstrating a compliant result.

# Justification

This criterion requires the certified Health IT module to provide an API and supporting documentation that enable external applications to request a unique patient identifier from the certified Health IT module that can be used to request additional patient data. We intend to record the frequency that patient ID requests are received by providers via API to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be zero adoption of this certified capability by our users, so we have added interactive testing methodology for these capabilities to the test plan below to demonstrate the feature is available and functions as expected should any users elect to begin using this feature.

Besuts Supertine Documents

Please Contact MedConnect for any Results screenshots if needed.

170.315(g)(8) Application Access — Data Category Request

# Summary Description

Pass

Method: Interactive Testing

The purpose of this test was to show that the EHR is able to fulfill an API request that enables external applications to request patient data categories from the certified Health IT module.

A query on historical audit logs for 90-day periods was performed for the 170.315(g)(8) criterion. Due to low or zero adoption of this criteria, health IT developer demonstrated the module function in their system as an interactive test demonstrating a compliant result.

# Justification

This criterion requires the certified Health IT module to provide an API and supporting documentation that enable external applications to request patient data by category from the certified Health IT module. We intend to record the frequency that patient data requests by category are received by providers and fulfilled via API to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be zero adoption of this certified capability by our users, so we have added interactive testing methodology for these capabilities to the test plan below to demonstrate the feature is available and functions as expected should any users elect to begin using this feature.

Flesuits Subporting Documents



Please Contact MedConnect for any Results screenshots if needed.

170.315(g)(9) Application Access — All Data Request

# **Summary Description**

**Pass** 

Method: Interactive Testing

The purpose of this test was to show that the EHR is able to fulfill an API request that enables external applications to request all categories of patient data defined in the CCDS from the certified Health IT module.

A query on historical audit logs for 90-day periods was performed for the 170.315(g)(9) criterion. Due to low or zero adoption of this criteria, health IT developer demonstrated the module function in their system as an interactive test demonstrating a compliant result.

# Justification

This criterion requires the certified Health IT module to provide an API and supporting documentation that enable external applications to request all categories of patient data defined in the CCDS from the certified Health IT module. We intend to record the frequency that patient data requests for all categories are received by providers and fulfilled via API to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be zero adoption of this certified capability by our users, so we have added interactive testing methodology for these capabilities to the test plan below to demonstrate the feature is available and functions as expected should any users elect to begin using this feature.

## Results Supporting Declarients

Please Contact MedConnect for any Results screenshots if needed.

# 170.315(h)(1) Direct Project

# Summary Description

**Pass** 

Method: Summative Testing

The purpose of this test was to show that the EHR is able to process Direct messages bi-directionally as well as track MDNs.

A query on historical audit logs for 90-day periods was performed for the 170.315(h)(1) criterion. The resulting totals show that this module was active throughout the period and therefore demonstrates a compliant result.

## Justification

This criterion requires the ability of a certified Health IT module to record the frequency that direct messages are sent and received by providers, along with how often MDNs are sent and received. Since not all systems respond with MDNs, we cannot reliably use that metric to define success. Furthermore, it is not feasible to obtain copies of Direct Messages from "outside" developers or providers who have no incentive to participate in this exercise. Therefore, we intend to demonstrate the required certified capabilities by demonstrating how often Direct Messages are exchanged with other systems to demonstrate the certified capability is available and effective, regardless of the frequency it is used. Our expectation is there will be moderate utilization by providers with a high success rate.

# Results Supporting Documents.

Please Contact MedConnect for any Results spreadsheets if needed.

## **KEY MILESTONES**

Includes a list of key milestones that were met during the Real World Testing process. Includes details on



how and when MedConnect implemented measures and collected data.

Key Milestone Scheduling and logistics	Care Setting Primary Care	Date/Timeframe Q2 2022
Data collection  Review and Collect Data	Primary Care	Q1 2022 – Summative Testing Q3 2022 – Interactive Testing
To and concer batter	Primary Care	Q3 2022 – Q1 2023
Writing Report	Primary Care	Dec 2022 – Jan 2023
MedConnect executed summative testing to show that the criteria are functional. The following metrics were pulled from transaction logs as detailed in the outcomes section above:  170.315 (b)(1) Transitions of care 170.315 (b)(2) Clinical Information Reconciliation and Incorporation 170.315 (b)(3) Electronic Prescribing 170.315 (c)(1-3) Clinical Quality Measures (CQMs) 170.315 (e)(1) View, Download, and Transmit to 3rd Party 170.315 (f)(1) Transmission to immunization registries 170.315 (h)(1) Direct Project	-	1/1/2022 - 3/31/2022
MedConnect executed interactive testing to show that the criterion are functional. The following metrics were tested interactively as detailed in the outcomes section above:  170.315(b)(6) Data Export 170.315(f)(2) Transmission to public health agencies syndromic surveillance 170.315(f)(4) Transmission to Cancer registries 170.315(g)(7) Application access—patient selection 170.315(g)(8) Application access—data category request 170.315(g)(9) Application access—all data request	Primary Care	Aug – Sep 2022

# **ATTESTATION**

The Real World Testing Results Template must include the following attestation signed by the Health IT Developer Authorized representative.

Note: The Results must be approved by a Health IT Developer authorized representative capable of binding the Health IT Developer for execution of the plan and include the representative's contact information. [II]

This Real World Testing Results Report is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the Health IT Developer's Real World Testing requirements.

Authorized Representative Name



Authorized Representative Email: 16 in divince @ medionnect -inc. com
Authorized Representative Phone: 334-315-3568
Authorized Representative Signature: Lin Quill
Date: 1/25/2023